

PATENT APPLICATION TRANSMITTAL LETTER

To the Commissioner of Patents and Trademarks:

Transmitted herewith for filing is the patent application of

Stephen C. Ahn

entitled **GOLF PUTTER HAVING IMPROVED MARKING.**

Enclosed are:


10 pages of specification including claims, abstract, and title page.

4 sheets of informal drawings.

Signed small entity declaration.

Signed declaration and power of attorney.

Check for \$345.00 to cover the filing fee.



Alfred F. Hoyte, Jr.
Reg. No. 33,512
Tel. No. 703-534-1105
March 7, 2000



VERIFIED STATEMENT CLAIMING SMALL ENTITY STATUS
(37 CFR 1.9(f) & 1.27(b)) -- INDEPENDENT INVENTOR

Applicant or Patentee: Stephen C. Ahn, Et al.

Serial or Patent No.: _____

Filed or Issued: _____

Title: **GOLF PUTTER HAVING IMPROVED MARKING**

As a below named inventor, I hereby declare that I qualify as an independent inventor, as defined in 37 CFR 1.9(c) for purposes of paying reduced fees in the Patent and Trademark Office, with regard to the invention described in:

☒ [X] the specification filed herewith with title as listed above.

☐ [] the application identified above.

☐ [] the patent identified above.

I have not assigned, granted, conveyed or licensed and am under no obligation under contract or law to assign, grant, convey or license, any rights in the invention to any person who would not qualify as an independent inventor under 37 CFR 1.9(c) if that person had made the invention, or to any concern which would not qualify as a small business concern under 37 CFR 1.9(d) or a nonprofit organization under 37 CFR 1.9(e).

Each person, concern or organization to which I have assigned, granted, conveyed, or licensed or am under an obligation under contract of law to assign, grant, convey, or license any rights in the invention is listed below:

☒ [X] No such person, concern, or organization exists.

☐ [] Each such person, concern, or organization is listed below. (Separate verified statements are required from each named person, concern or organization having rights to the invention averring to their status as small entities. (37 CFR 1.27))

I acknowledge the duty to file, in this application or patent, notification of any change in status resulting in loss of entitlement to small entity status prior to paying, or at the time of paying, the earliest of the issue fee or any maintenance fee due after the date on which status as a small entity is no longer appropriate. (37 CFR 1.28(b))

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under section 1001 of Title 18 of the United States Code, and that any such willful false statements may jeopardize the validity of the application, any patent issuing thereon, or any patent to which this verified statement is directed.

Stephen C. Ahn

NAME OF INVENTOR

STEPHEN AHN

SIGNATURE OF INVENTOR

2/03 00

DATE

Suh Yong Lee

NAME OF INVENTOR

Suh Yong Lee

SIGNATURE OF INVENTOR

2-03 00

DATE

GOLF PUTTER HAVING IMPROVED MARKING

CROSS REFERENCE TO RELATED APPLICATIONS

This application is a continuation in part of application serial number 09/114,523, filed on July 13, 1998.

FIELD OF THE INVENTION

This invention relates to an improved design of a golf putter. More particularly, it relates to a putter having an improved marking enabling a golfer to more accurately line up the putt.

BACKGROUND OF THE INVENTION

Putting is very important in the game of golf. On a par-72 course, one-half (36) strokes are allotted for putting. Moreover, it does not take great strength or physical ability to be a good putter. For a golfer, one stroke on a green counts just as much as any other stroke in the course.

There are two kinds of putts -- long putts and short putts. A long putt may be defined as any putting requiring more than five feet to reach the cup. If the ball lies within about five feet of the hole, it is a short putt. The primary objective of the long putting is to hit the ball so that it ends within approximately three feet of the hole. Although sinking the ball in a long put is pleasant and desirable, the primary goal on long putts should be placing the ball near enough to the hole so that the next stroke will easily make the hole. In addition, for the long putts many variables such as the slope of the ground, the accuracy of the aim, the length to be traveled, and speed of the ball comes into play. The accuracy of the aim, although critically important, only plays a minor role in the overall success of the long putting. On the other hand, the accuracy is the most important factor in short putting. Other variables such as the slope of the ground, speed of the ball, and texture of the turf become less important.

A short putt is very important in a game of golf not only because a missed putt will cost a stroke, but the impact it has psychologically to a player. Because of its length, every golfer, pros and amateurs alike, feels compelled to make it. When he does not make it, he thinks he missed an easy shot. Consequently, it tends to destroy a player's confidence and may affect his concentration for the rest of the game.

In a putting situation, the direction of the putt is dictated by the path of the clubhead and the face angle at impact. The path is important and affects direction, but the face angle of the putter at impact is also very important in determining direction. Providing the green within five feet of the hole has no significant slope and texture of the turf is uniform, successful short putting should require the path of the clubhead directly aimed to center of the hole, and club face angle precisely perpendicular to the line between clubhead and the hole. In addition, the center of the ball should be precisely aligned with the marker on top of the putter that generally indicates location of the center of gravity in the toe to heel direction. An infinitesimal deviation from these is the reason for a miss of the short putt. To miss the hole that is four inches wide, from five feet distance the deviation of a face angle from perpendicular to the straight line to the hole must be so small it will not be discernable to the naked eyes. Every player carefully adjusts the face angle of the putter and aligns the ball to the center of gravity marker before he strokes the ball. Nevertheless, a putt is missed because the face of the putter is not truly perpendicular to the direction of the hole, and the ball is off the center of gravity. To achieve a perfect alignment every time, a finely adjusted machine tool is needed. Since hand and eye coordination of a human being is much less precise than a machine, a mistake will occur and a missed putt is the result. The present invention is directed to reducing the small inaccuracies that occur with the prior art putters and automatically compensating for mis-struck putts.

SUMMARY OF INVENTION

Accordingly, it is a primary object of the present invention to provide an improved golf
putter which automatically compensates for misaligned and mis-struck putts in a short
putting situation. A typical putter consists of a putter head about four to five inches
long with a predetermined weight distribution and a total weight ranging between
fifteen and eighteen ounces. The putting face of a putter is horizontally flat and has
two to four degrees of loft. There are many putter designs in the market each claiming
why it is superior to others. However, for the short putting situation, the most
important attribute of a putter has to be how tolerant making up the infinitesimal and
almost invisible error in positioning the face angle and the clubhead path a player
makes when the player aims and strokes a ball. If there is a putter with a face shaped
such a way that the ball is always aimed toward the center of the hole, probability of
making the hole increases significantly even when a player makes a small error in
aiming the ball toward the hole. Additionally, putter markings are usually taken for
granted, consisting of one or several straight lines. A putter with an enhanced marking
would assist the golfer with both centering and aiming the putt.

The putter of the present invention differs from any other conventional or
unconventional style putters in the market today. The putter may be precision
machined to form a concave horizontal face from the heel to toe of the hitting face.
The curvature of the concave horizontal face may range from an arc of a five circle to
an arc of a one-foot radius circle with the center point at the center of the hole. Thus
the putter may be described as having curvature of the horizontal or striking face
ranging from the reciprocal of five feet to the reciprocal of one foot. The curvature is
defined as the reciprocal of the radius of a circle. Also provided in accordance with
the present invention is a marking on the club head, the marking serving to assist with
both aiming and centering.

5 The best way to hit the golf ball in a short putt is like a pendulum. The most golfers cannot do that consistently, but they tend to swing in an arc. Depending on when the putter strikes the ball in that arc, the putter face may be either slightly open or slightly closed at the impact. Because the concave putter always aims a ball toward the center of the hole, slightly open or closed face hit is compensated enough to make the ball to drop into the hole.

10 Additionally, for right-handed golfers with conventional putters, balls stroked on the inside the sight line toward the heel will travel left of the intended line to the hole. Previous tests show that an average golfer almost always impacts on the toe side of the sight line making the ball to travel right of the intended line to the hole. This is so because the player never looks down at the putter head and ball from directly above, but slightly to the heel side of the sight line. The amount of the offset is very small and almost invisible; but, a small misalignment will result in a missed putt. Again, the concave putter will compensate for the small misalignment and make the ball drop into the hole by automatically aiming the ball toward the center of the hole.

15 Tests performed on a flat putting green showed that putts stroked with a straight putter resulted in 20 percent traveling on a line left of center and 20 percent traveling right of the center. Of putts stroked with the concave putter, only 10 percent went left of center and 10 percent went right of the center--a statistically significant improvement.

25 BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 is a perspective view of a putter made in accordance with the present invention having the concave horizontal putting face.

FIG. 2 is a top plan view of a putter of the present invention.

FIG. 3 is a view of an arc formed by a circle drawn from a center of the hole.

FIG. 4 is a top plan view of a concave horizontal putter with paths of a ball hit at any point of the putter face.

5

FIG. 5 is a top plan view of a conventional straight faced putter with the path of a ball hit at three different points of the putter face.

FIG. 6 is a top plan view of the travel path of the ball when the putter face is open, straight, and closed.

10

FIG. 7 is a top plan view of the putter of the present invention detailing the relationship of the marking to the radius of the golf ball.

FIG. 8 is a top plan view of a putter of the present invention having an alternative marking.

DETAILED DESCRIPTION OF THE INVENTION

Reference is now made to the drawing figures showing the improved golf putter 11 illustrated in FIG. 1 and FIG. 2. The putter shown in the drawing is a typical heel and toe weighted putter, but the putter of any other configuration such as a blade-type putter may be used. Regardless of the type, all putters have a club head 9, the club head having a front face 16 which is used to strike the ball, a heel 13, a toe 14, a hosel 12, and a shaft 15. In most of the putter design, the horizontal surface of the face 16 of the putter is flat. In the preferred embodiment of the invention, the face 16 of the putter 11 is curved forming a concave horizontal surface. Curvature of the face 16 of the preferred embodiment is equivalent to the curvature of a circle 20 formed with the center 18 of the hole 17 and radius 19 ranging from five feet to three feet in length as illustrated in FIG. 3. Tangential lines 21, 22, 23 drawn at any point on the circle 20 represent ideal face angles of a putter in order to hit a ball perfectly aimed at the center of the hole. FIG. 4 and FIG. 5 schematically illustrate advantages of the preferred embodiments of the invention 11 over a conventional putter 29. When a ball is hit with the putter of present invention 11, the ball will travel toward the center point 18 of the hole 17 no matter where the impact points 24, 25, 26 are as long as the putter face is aligned perpendicularly toward the hole. However, when a ball is hit with a conventional putter 29, only the ball impacted at the center point of the putter 32 will travel toward the center point 18 of the hole 17. The balls impacted at the points 33, 31 offset from the center 32 will end up at points 27, 28 other than the center point 18, increasing the probability of missing the hole. Statistically, balls traveling toward the center point 18 have significantly higher probability of making the hole than balls traveling toward off-center points 27, 28.

FIG. 6 schematically describes paths of a ball hit with the putter's face with a straight face 29, a closed face 35, and open face 34. When a ball 36 is hit with the putter face 29 perpendicular to the hole, the ball 36 will travel straight 39 path with no side spin.

When a ball 37 is hit with a closed face putter 35, the ball 37 will have slight clockwise side spin and tends to travel right 41 of the center 39. When a ball is hit with an open face putter 34, the ball 38 will have slight counterclockwise side spin and tends to travel left 40 of the center. Since the present invention tends to aim the center point of the hole, small deviation from the straight path is compensated with the concave putter, and a higher percentage of the ball drops into the cup.

In order to assist with aiming, most putters have one or more markings formed on the top face. These markings are generally in the form of one or more straight lines which point in the direction of the hole when the club face is properly oriented. The marking 10 of the club 11 of the present invention consists of a straight line terminating at an arc, the arc having end points terminating at the club face 16. In accordance with the preferred embodiment, the radius of the arc is the length of a line running from the center of a golf ball 50 abutting the front face 16 of the club 11 as may be seen in FIG. 7. Thus, the curvature of the arc of the marking 10 is preferably a function of the distance from the center point of a golf ball 50 abutting the striking face 16, to the point at which the straight line of the marking 10 terminates. The marking 10 aids a golfer by providing a line pointing to the hole as well as a means for assisting with centering the club face 16. The marking 10 may be formed by scoring an arc in the top of the club head 9, and filling in the arc with the desired color paint.

An alternative form of the marking 10 is shown in FIG. 8. This form of the marking 10 is characterized by a solid color arcuate section having a radius as defined above. It should be noted that the primary purpose of the marking 10 is to assist the golfer in aiming and centering the putt. Accordingly, the only requirement for the marking 10, other than having the radius as defined above, is that it be clearly visible to the golfer as he looks down on the club head 9 to center the putt. Thus, the marking 10 may be formed by a raised portion, a sunken portion, or an otherwise contoured arcuate portion (not shown) which may or may not require coloring in order to be easily

visualized by the golfer.

Advantages the preferred embodiment offers over the conventional putter apply to any type of putter design. While the preferred embodiments described herein set forth the best mode to practice this invention presently contemplated by the inventors, numerous modifications and adaptations of this invention will be apparent to others skilled in the art. Therefore, the embodiments are to be considered as illustrative and exemplary and it is understood that the claims are intended to cover such modifications and adaptations as they are considered to be within the scope of the invention.

CLAIMS

1. A golf putter for putting a golf ball comprising:

5 a putter head, a hosel attached to the putter head, a shaft receiver on the hosel for receiving a shaft, the putter head having a heel portion at one end and a toe portion at the other end, a striking face, and a contoured top surface;

10 a marking formed on said contoured top surface, said marking having a straight line portion and a curved portion, said curved portion having a radius of curvature which is a function of a distance from an approximate center point of said golf ball to said striking face when said golf ball is abutting said striking face.

2. The putter of claim 1 wherein said marking is formed by an arc scored in the top of the club head.

3. The putter of claim 2 wherein said arc is delineated by paint or other coloring.

4. The putter of claim 1 wherein said marking formed by a raised portion on said contoured top surface.

20 5. The putter of claim 1 wherein said marking is formed by contrasting color sections formed on said top surface.

[illegible]

A putter is precision machined to form a concave horizontal face from the heel to toe of the hitting face. The curvature of the concave horizontal face may range from an arc of a five circle to an arc of a one-foot radius circle with the center point at the center of the hole. Thus the putter has a curvature of the horizontal or striking face ranging from the reciprocal of five feet to the reciprocal of one foot. Also provided in accordance with the present invention is a marking on the club head of the putter, the marking serving to assist with both aiming and centering. The marking has a radius of curvature which is a function of the radius from the center point of a golf ball abutting the striking face. The marking may be used on putters having regular, non-concave striking faces.




FIG 5







FIG 6








Fig. 7




Fig. 8

DECLARATION AND POWER OF ATTORNEY

As a below named inventor, I hereby declare that: my residence, post office address and citizenship are as stated below next to my name; that I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter that is claimed and for which a patent is sought on the invention entitled: **GOLF PUTTER HAVING IMPROVED MARKING**, the specification of which is filed herewith.

I hereby state that I have reviewed and understand that contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information that is material to the examination of this application in accordance with Title 37, Code of Federal Regulations, § 1.56(a).

I hereby claim foreign priority benefits under Title 35, United States Code, § 119(a)-(d) or §365(b) of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application or patent or inventor's certificate having a filing dated before that of the application of which priority is claimed:

Country	Application Number	Date of Filing	Priority Claimed Under 35 U.S.C. 119

I hereby claim the benefit under Title 35, United States Code, § 120 of any United States application(s) listed below and, in so far as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code § 112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, § 1.56(a) that occurred between the filing date of the prior application and the national or PCT international filing dated of this application:

Application Number	Date of Filing	Status (patented, pending, abandoned)
09/114,523	7/13/1998	Pending

I hereby claim the benefit under Title 35, United States Code, § 119(e) of any United States provisional application(s) listed below:

Application Number	Date of Filing

I hereby appoint the following attorney to prosecute this application and transact all business in the Patent and Trademark Office connected therewith: Alfred F. Hoyte, Jr.. Please address all correspondence to Alfred F. Hoyte, Esq., 131 E. Broad Street, Suite 206, Falls Church, VA 22046, Telephone No. 703-534-1105.

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under section 1001 of Title 18 of the United States Code, and that any such willful false statements may jeopardize the validity of the application or any patent issuing thereon.

FULL NAME OF SOLE OR FIRST INVENTOR	INVENTOR'S SIGNATURE	DATE
Stephen C. Ahn	STEPHEN AHN	2/03 00

RESIDENCE	CITIZENSHIP
8809 SOUTHLAKE CT. FAIRFAX, VA 22031	U. S.
POST OFFICE ADDRESS	

DECLARATION AND POWER OF ATTORNEY

Suh Yong Lee

INVENTOR'S SIGNATURE

INVENTOR'S SIGNATURE 

DATE _____

2-03 00

RESIDENCE

CITIZENSHIP

U.S.

POST OFFICE ADDRESS

ADDRESS
4118 AMESBURY LN. DURHAM, N.C 27709

Year	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033	2034	2035	2036	2037	2038	2039	2040	2041	2042	2043	2044	2045	2046	2047	2048	2049	2050	2051	2052	2053	2054	2055	2056	2057	2058	2059	2060	2061	2062	2063	2064	2065	2066	2067	2068	2069	2070	2071	2072	2073	2074	2075	2076	2077	2078	2079	2080	2081	2082	2083	2084	2085	2086	2087	2088	2089	2090	2091	2092	2093	2094	2095	2096	2097	2098	2099	2100
1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033	2034	2035	2036	2037	2038	2039	2040	2041	2042	2043	2044	2045	2046	2047	2048	2049	2050	2051	2052	2053	2054	2055	2056	2057	2058	2059	2060	2061	2062	2063	2064	2065	2066	2067	2068	2069	2070	2071	2072	2073	2074	2075	2076	2077	2078	2079	2080	2081	2082	2083	2084	2085	2086	2087	2088	2089	2090	2091	2092	2093	2094	2095	2096	2097	2098	2099	2100	